


SCHENATIC,
DB 32016


6


- 5


3


2



































CUI	त्यक्षा डाहर -	: sala	SOLDER SIDE		
P1:1	SIGGL	PIN	SIGHL		
13 57 9 11 13 15 17 19 11 23 25 17 9 13 35 37 9 41 3 5 5 5 5 9 61 3 65 67 67 17 75 77 79 81 3 5 5	######################################	2 4 6 8 13 12 14 16 18 22 22 23 22 23 22 24 24 44 44 55 52 54 56 53 72 77 76 78 80 22 54 56	G0++551-124 G0 ENERGY		

CONSCION PO PIN ASSISMENTS				
CCF22 SIDE SSLOT		ER SIDE -		
PIN	Signe	į	FIN	SIGUL
1357 9110151719112227774133377944357791	FOR EDIX FOR FROM PROPERTY PR		2466日77年最近四周四百四日公共发展建设444年87日日	FROM IRAN IRAN IRAN IRAN IRAN IRAN IRAN IRAN
3	ACA ACR757 ACR747		52 53 53	A08177 AL8157, (1

COMPONENT SIDE		sa	SOLDER SIDE	
PIN	SIGNE	PIN	STOWL	
7 9 11 13 15 17 19 21 22 27 29 33 35 5 7 7 9 4 1 4 4 5 4 7 9 9 4 1 9 4 7 9 9 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	\$	2 4 6 8 8 10 112 114 116 118 222 24 226 238 332 234 356 358 457 554 458 555	FORT 3. BIT 7 PORT B. BIT 6 PORT B. BIT 5 FORT B. BIT 5 FORT B. BIT 1 PORT B. BIT 1 PORT B. BIT 1 PORT B. BIT 2 PORT C. BIT 3 PORT C. BIT 1 PORT C. BIT 1 PORT C. BIT 5 FORT C. BIT 6 FORT C. BIT 6 FORT C. BIT 7 FORT A. BIT 7 FORT A. BIT 5 FORT A. BIT 5 FORT A. BIT 3 FO	

CONCINE DE	ASSIGNMENTS	
COPPRENT SIDE	SOLIER SIDE	-
PIN : SIGNE	PIN SIGNAL	
TRAN SIG ELE TIMING SEC PECEIVE EXTERNAL CLOCK DATA TECHNIC PLADY TO THE TECHNIC PLADY TRAN SIG ELE TIMING TRAN SIG ELE TIMING SEC PECEIVE GOODS TRAN SIG ELE TIMING GOODS GOODS	2 GROUND 1 FARSMIT 6 PROCESS 1 18 CLEAR TO 12 CATA SET 14 GROUND 16 18 12 22 12 YOUTS 24 SECONDARY 25 SECONDARY	ATA O SEND SEND PEADY

* REQUIRES LU PER TO ENABLE

		:	
COMPORENT SIDE		SOLDER SIDE	
FIN	SIGNAL	214	SIGIAL
1 3 5 7 9	TRAN SIG ELE SIPING	3	: Chouses
5	SEC RECEIVE	6 8	RECEIVE DATA
7	External Close	8	MEDUEST TO SEND
11	_	12 12	CLEAR TO SEND
13	DATA TERMINAL RINT	14	DATA SET READT
دًا	-	16	0.00.0
17	-	13	-
19	-12 vouts oc *	28	-
2 2	TRAN SIG E.E. T A.	22	+12 YOUTS DC *
21 23 3	יים אמבוה הכ" האבואם	24	SECONDARY CTS

PIN	SIGNE	PIN	SIGN
1 3 5 7 9	+121	2	-12Y
5	GO RESET	6 8	+5 ¥
ĩ	k=2	1 6	- NOTK
9	F41	18	4.
11 13 15 17 19	143	12	- RINIRI
15	10-97	14	#INTPO
17	60	16 18 22 22 24 25 23 36 32	MAIL
19	NO7	10	+5V
21	FIX6	22	NCS/
21 23 25 27 29 31 33	NC5 NC4	24	7
27	4C3	25	
29	FC2	23	OPT2
31	NO1	32	OF 16
33	NCS	34	
35 37	ශ්ව	34 36	+57
39	NOE NCC	32	MOF
41	TCA	42	100
43	PES I		906 Z

D STUDSTIFFED